

TopicListActivity Class

Initial class for Master/Detail Android application. Starts the application on the Android device and displays the list of items from which the user can select. Binds to an array data source, and exposes event handlers or activity launchers when the user selects an item.

Inheritance Hierarchy

android.support.v4.app

FragmentActivity

Namespace: com.example.resume

Constructors

Not applicable for main class of application

Methods

Name	Description
openBrowser (String)	Opens the browser of the device and displays the page located at the specified URL.
openBrowser (View)	Opens the browser of the device and displays the page located at URL that is specified in the View object.
onItemSelected (String)	Displays the fragment associated with the item displayed in ListActivity pane. How the fragment is displayed is dependent on the width of the device screen.
launchEmailApp(View)	Opens the email application of the device and allows the user to complete an email intended for the address that is specified in the View object.

Remarks

Application displays resume information in several different fragments.

This class is initially generated by the IDE when it creates a new Master/Detail Flow Android Application Project. It associates the subclasses or superclasses of the application to the classes provided by Eclipse, the Java language, and various product vendors.

Edition Information

Edition 1.0

Platforms

Eclipse Android version 4.2.2

Other devices that support Android minimum target version 17

See Also

TopicDetailActivity Class

TopicListFragment Class

TopicListActivity.openBrowser (String)

Opens the browser of the device and displays the page located at the specified URL.

Namespace: com.example.resume

Syntax

Parameters

String

Type: java.lang.String

The Uniform Resource Identifier or Uniform Resource Locator to open in the browser of the device.

Return Value

This method does not return a value.

Remarks

The URI or URL must be well-formed.

See Also

[openBrowser \(View\)](#)

[TopicDetailFragment Class](#)

TopicListActivity.openBrowser (View)

Opens the browser of the device and displays the page that is specified in the View object.

Namespace: com.example.resume

Syntax

Parameters

View

Type: android.view.View

Contains the well-formed URI to display in the browser of the device.

Return Value

This method does not return a value.

Remarks

The browser is device-dependent, and therefore outside the scope of this document.

See Also

[openBrowser \(String\)](#)

[TopicDetailFragment Class](#)

TopicListActivity.onItemSelected Method (String)

Called when an item is selected in the ListActivity pane. The Callback method to be invoked when an item in this pane has been selected. This callback is invoked only when the newly selected position is different from the previously selected position or if there was no selected item.

Namespace: com.example.resume

Syntax

Parameters

String

Type: java.lang.String

The id of the item that is selected in the item list.

Return Value

This method does not return a value.

Remarks

How the fragment is displayed is dependent on the width of the device screen.

See Also

[openBrowser \(String\)](#)

[TopicDetailFragment Class](#)

TopicListActivity.launchEmailApp(View)

Opens the email application of the device and displays an email associated with the address that is specified in the View object.

Namespace: com.example.resume

Syntax

Parameters

View

Type: android.view.View

Contains the email address to display in the email application of the device.

Return Value

This method does not return a value.

Remarks

The email application is device-dependent, and therefore outside the scope of this document.

See Also

Intent

StartActivity